## PROPOSED 13.251 ACRE PUBLIC PARK / DRAINAGE LOT OUT OF PROPOSED FALCON POINTE SECTION 14 PART OF THE JOHN DAVIS SURVEY, ABSTRACT 13 CITY OF PFLUGERVILLE, TRAVIS COUNTY, TEXAS

Being a 13.251 acre (577,198 square feet) of land in the John Davis Survey, Abstract 13, City of Pflugerville, Travis Country, Texas, being out of a Remainder of a called 149.99 acres of record to Terrabrook Falcon Pointe, L.P. as recorded in TRV 200105424, also being a portion of a called 44.341 acres of record to Terrabrook Falcon Pointe, L.P. as recorded in TRV 200105310,of the Official Public Records of Travis County, Texas (O.P.R.T.C.T.) and being more particularly described by Meets and Bounds as follows:

**BEGINNING,** at a 1-2 inch iron rod with "AECOM" cap found at the southwest terminus point of 70-foot right-of-way line of Lone Star Boulevard as dedicated by the Final Plat of Falcon Pointe Section Six-B as recorded in in TRV 200700231, (O.P.R.T.C.T.), being an angle point in the remainder portion of said 149.99 acre tract;

**THENCE,** South 55°52'11" West, a distance of 60.40 feet, along the proposed extension of Lone Star Boulevard of said proposed Section 14, to a 1/2-inch iron rod stamped "McKim" set for corner;

**THENCE**, over and across the said Terrabrook Falcon Pointe, L.P. 149.599 acre tract and along the proposed south line of herein described tract and division line of other proposed lots and streets of said proposed Section 14 the following twelve (12) courses:

- 1. North 39°54'32" West, a distance of 160.68, to a 1/2-inch iron rod stamped "McKim" set for point of curvature to the left;
- 2. 70.51 feet along the arc of said curve to the left having a radius of 50.00 feet, a Central angle of 80°47'58", a chord bearing of North 41°08'56" West a distance of 64.80 feet, to a 1/2-inch iron rod stamped "McKim" set for corner;
- 3. North 32°47'46" West, a distance of 152.25 feet, to a 1/2-inch iron rod stamped "McKim" set for corner;
- 4. North 37°14'41" East, a distance of 45.01 feet, to a 1/2-inch iron rod stamped "McKim" set for corner;
- 5. North 54°10'30" West, a distance of 136.48 feet, , to a 1/2-inch iron rod stamped "McKim" set for point of curvature to the left;
- 6. 84.40 feet along the arc of said curve to the left having a radius of 50.00 feet, a Central angle of 96°42'46", a chord bearing of North 15°41'52" West a distance of 74.73 feet, to a 1/2-inch iron rod stamped "McKim" set for corner;

- 7. North 02°59'32" West, a distance of 24.19 feet, to a 1/2-inch iron rod stamped "McKim" set for corner:
- 8. North 43°35'38" West, a distance of 136.31feet, to a 1/2-inch iron rod stamped "McKim" set for corner:
- 9. North 43°32'56" West, a distance of 145.18 feet, to a 1/2-inch iron rod stamped "McKim" set for point of curvature to the left;
- 10. 126.36 feet along the arc of said curve to the left having a radius of 50.00 feet, a Central angle of 144°47'42", a chord bearing of North 14°46'44" East a distance of 95.32 feet, to a 1/2-inch iron rod stamped "McKim" set for corner;
- 11. North 02°54'28" West, a distance of 34.22 feet, to a 1/2-inch iron rod stamped "McKim" set for corner;
- 12. North 54°50'37" West, a distance of 172.40 feet, to a 1/2-inch iron rod stamped "McKim" set for corner; being a point in the common line of said 149.99 acre tract and a called 66.12 acre tract of record to Pflugerville I.S.D., as recorded in TRV 1999049719, (O.P.R.T.C.T.);

**THENCE**, along the common line of said 149.99 acre tract, said 44.341 acre tract and said 66.12 acre tract, North 27°35'57" East, a distance of 346.57 feet, to a 1-2 inch iron rod with "AECOM" cap found at the southwest corner of a called 22.478 acre tract of record to Pflugerville I.S.D., as recorded in TRV 2001171111, (O.P.R.T.C.T.), being a remainder corner of said 44.341 acre tract;

**THENCE**, departing said common line, South 62°26'23" East, a distance of 901.31 feet along the common line of said 22.478 acre tract and remainder of said 44.341 acre tract, to a 1-2 inch iron rod with "AECOM" cap found at the southeast corner of said 22.478 acre tract, being a point in the west right-of-way line of Falcon Pointe Boulevard (70-foot right-of-way) line as dedicated by the Final Plat of Falcon Pointe Section Six-B as recorded in TRV 200700231, (O.P.R.T.C.T.);

**THENCE**, along the westerly right-of-way line of said Falcon Pointe the following three (3) courses:

- 1. South 27°05'21" West, a distance of 338.10 feet, to a 1-2 inch iron rod with "AECOM" cap found for point of curvature to the left;
- 2. 410.57 feet along the arc of said curve to the left having a radius of 395.00 feet, a Central angle of 59°33'14", a chord bearing of South 02°41'16" East, a distance of 392.33 feet, to a 1/2-inch iron rod stamped "AECOM" cap found for point of reverse curvature to the right;

3. 23.13 feet along the arc of said curve to the right having a radius of 15.00 feet, a Central angle of 88°20'04", a chord bearing of South 11°42'09" West, a distance of 20.90 feet, to a 1/2-inch iron rod stamped "AECOM" cap found for point in the west right-of-way of said Lone Star Boulevard;

**THENCE**, along the west right-of-way of said Lone Star Boulevard, South 55°52'11" West, a distance of 150.19 feet, to the **POINT OF BEGINNING** and containing a computed area of 13.251 acres or (577,198 square feet) of land.

Prepared by McKim & Creed Job No. 06022 – 0074

Darrell D. White, RPLS

