



City of Pflugerville

Minutes - Final - Final

City Council

Tuesday, March 12, 2019

6:00 PM

100 East Main Street, Suite 500

Worksession

1. Call to order

Mayor Victor Gonzales called the worksession to order at 6:01 p.m. Mayor Pro Tem Omar Peña and Councilmembers Doug Weiss, Jeff Marsh, Rudy Metayer and Jim McDonald were in attendance. Councilmember Mike Heath joined the worksession at 6:02 p.m. City employees attending: Sereniah Breland, City Manager; Trey Fletcher, Assistant City Manager; Brian McDougal, Interim Assistant City Manager; Karen Thompson, City Secretary; Jennifer Stubbs, Assistant City Secretary; Emily Barron, Planning Director; Maggie Holman, Events Coordinator; Jennifer Coffey, Library Director; Wiley Webb, Utilities Superintendent; Chad Wood, Interim Public Works Director; Patricia Davis, Interim City Engineer; Jessica Robledo, Police Chief; Jason Smith, Assistant Police Chief.

2. Discuss only

2A. [2019-7406](#)

Presentation and discussion regarding Zebra Mussels Assessment.

Mr. Webb provided introductory information stating that zebra mussels have been found at the river intake and water treatment plant intake. Darren Strozewski and Jessica Simpson of DCS Engineering, LLC provided information and discussed with Council. They reviewed short term recommendations: 1.) for the river intake pumping station to: install a permanent 20% sodium permanganate dosing system, utilize the existing air burst system and enter into an annual contract with divers; 2.) for lake intake tower, pumping station and transmission line to water treatment plant to: install permanent 20% sodium permanganate dosing system and conduct diver inspection of the lake intake tower and the rip rap on the dam for the lake intake; 3.) for water treatment plant to: install permanent 20% sodium permanganate dosing system. They reviewed long term recommendations for 1.) the river intake pumping station to maintain the sodium permanganate dosing system, 2.) for the lake: to drawdown the lake annually, stock the lake with carp, remove debris, conduct zebra mussel monitoring, and pass an ordinance restricting access to boats with gas-operated motors, 3.) for lake intake tower, pumping station and transmission line to water treatment plant to maintain the sodium permanganate dosing system at the lake intake tower, 4.) for the water treatment plant to include a pretreatment train at the water treatment plant with 20% sodium permanganate dosing system. Council discussed and indicated a need to be proactive and put measures in place.

Executive Session

Mayor Gonzales announced that the City Council was retiring to executive session for possible discussion on items 2B and 2C. He read the items and retired to executive session. The time was 6:45 p.m.

- 2B.** [2019-7447](#) 1.) Executive Session Item: Deliberation regarding real property pursuant to Chapter 551.072 of the Texas Government Code regarding the lease and purchase of real property in the downtown area.

There was no discussion on the item during the worksession. Discussion on the item took place in executive session during the regular meeting.

- 2C.** [2019-7457](#) 1.) Executive Session Item: Consultation with legal counsel pursuant to Section 551.071 of the Texas Government Code regarding the Texas Open Meetings Act.

Discussion on the item took place in executive session during the worksession.

Executive Session - Closed

Mayor Gonzales reconvened in open session at 6:53 p.m.

3. Adjourn

Mr. Heath made a motion to close the worksession. Mayor Pro Tem Peña seconded the motion. All present were in favor. Mr. Weiss was absent from the dais and did not participate in the vote. The motion carried. The worksession was adjourned at 6:53 p.m.

Respectfully submitted,

Karen Thompson
City Secretary

Approved as presented on March 26, 2019.