Project:	Central Wastewater Treatment Plant	Project Number:
Owner:	City of Pflugerville	88
Contractor:	BAR Constructors, Inc	279
Engineer:	Freese and Nichols, Inc	PFL16607
•	Thoroseal Waterproofing of the posal No.: CP0002 Description: Headworks  1: 03 30 00 Cast In Place Concrete  3: N/A Detail Description: N/A	e Influent Lift Station and
Reference D	ocument:	
☐ Request	for a Change Proposal No.:  Bawing Deviation Request No.:  Baying Deviation Request No.:  Baying Deviation Request No.:	lo.:
1. App	proposes the following modifications to the Contract Documents: lication of Thoroseal foundation waterproofing coating on the exterior to dworks.	he influent lift station and
During revie waterproofi	Change Proposal: w of the 03 30 00 Cast In Place Concrete specification there is a section ng but there are no call outs on the drawings indicating where this is to of the Thoroseal waterproofing on the influent lift station and headwork	oe applied. FNI recommended
Attachment CP0001	s:	
Requested A	Action:	
☐ Issue a F	ield Order $oxtimes$ Issue a Work Change Directive or Change Order for	the described changes
Basis of Con	npensation:	
☐ Unit Pric	es 🗵 Lump Sum calculated using Cost of Work provisions in Gener	al Conditions Paragraph 13.01
	Materials using Cost of Work provisions in General Conditions Paragraph	oh 13.01
•	ocumentation:	
	cost breakdown attached showing labor, materials, equipment, and all	· ·
□ Schedule	e attached to show impacts and justification for requested change in Cor	ntract Times
Total Chang	a Pranasal Amount: \$30,860,80 Adjustment in C	ontract Times (days): 7

Change Proposal Page 1 of 2

Project:	Central Wastewater Treatment Plant	Project	Number:
Owner:	City of Pflugerville	88	
Contractor:	BAR Constructors, Inc	279	
Engineer:	Freese and Nichols, Inc	PFL166	507
Contractor n unforeseen c any other eff Contract Tim the Work wit	sation offered for this Change Proposal is the full, complete, and final containing incur as a result of or relating to this change whether said costs are not this time, including without limitation, any cost for delay, extended over the containing without limitation, any cost for delay, extended over the containing without limitation, any cost for delay, extended over the contract Modification of the complete and final adjustments for direct impacts to the abilitation the Contract Times and are the only adjustments to which the Contract Documents and all of the terms and provisions thereof	known, underhead, restion. Recity of the ractor is e	nknown, foreseen, or ipple or impact cost, or quested changes in Contractor to complete entitled. Except as
Certified by:	Dennis Berger	Date:	6/10/2020
Action:			
☐ Field Ord	er No.: Issued		
☐ Contract	Amendment No.: Issued		Issued
☐ Change P	Proposal Not Accepted $\Box$ Additional information required. See co	mments.	☐ Cancelled
Comments: To be include	ed in CO0002 along with CP0001, CP0003, CP0005,CP0006 and CP0007		
Response by	: Janathan Iran	Date:	6/10/2020

Change Proposal Page 2 of 2



P.O. Box 10 · Lancaster, TX 75146

June 10, 2020

Mr. Matt Gaughan Plus Six Engineering 15500 Sun Light Near Way B Pflugerville, TX 78660

Re: City of Pflugerville, Texas

Central WWTP Expansion Phase I Improvements

Project No. PFL16607 CP002r1 Thoroseal

Dear Mr. Gaughan,

Please find the attached pricing and quotations for Thoroseal Waterproofing at the Influent Lift Station and Headworks. BAR Constructors, Inc. requests an ADD to the contract amount of \$30,860.89 and a time extension of 7 calendar days. Below are those inclusions and exclusions associated with this work.

#### **Inclusions:**

- Thoroseal @ the Influent Lift Station & Headworks
- All "Activities" associated with applying Thoroseal

#### Exclusions:

- Any exclusions stated in the attached quotation(s).
- Anything not explicitly stated as an inclusion.

### Sincerely,

Dennis J. Berger Project Manager BAR Constructors, Inc.

Labor	Rate					Tho	roseal @ ILS/HW	V				
The war and ONE (UNA)				Davi 4	D 2	D2	D 4	Dav. 5	David	D7		Fatal
Thoroseal @ ILS/HW	\$ 40.	0	HR	Day 1 32	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Ś	Γotal 1,280.
Foreman Oversight Labor	\$ 24.1		MP	12	12	12	12	12	12	11	\$	9,960.
Laboi	γ 24.0	<u> </u>	IVIF	12	12	12	12	12	12	11	Ś	9,900.
		+									\$	
											\$	-
											\$	-
											\$	-
Subtotal											\$	11,240.
Payroll Taxes and Insurance (55%)											\$	6,182
Total Labor											\$	17,422.
	<u> </u>							,				
Non-Taxed Material	Rate				•	Tho	roseal @ ILS/HW	V	_	_		
Thoroseal @ ILS/HW												
Gray 60 lb Thoroseal - Bucket	\$ 88.		EA								\$	5,301
ACRYL 60 Bonding Agent 1 Gal Unit	\$ 23	6 121	GAL								\$	2,814
											\$	
									-	+	\$	
				-					<del> </del>		\$	
		+		+	+				+		\$	
		+		+	+				+		\$	
Subtotal											\$	8,116
240.0.0.0	I		<u>I</u>	<u> </u>	<u> </u>	ı		<u> </u>	<u> </u>		٧	0,110
Taxed Material						Tho	roseal @ ILS/HW	V				
							2 127				\$	-
											\$	
Subtotal Taxed Material + 8.25%											\$	-
	<u> </u>	•	•	•	•				•	•		
General Condition Material												
Small Tools 5% labor											\$	562.
												0.570
											\$	8,678
Total Material	Rate					Tho	proseal @ ILS/HW	V				8,678
Total Material  Equipment	Rate					Tho	roseal @ ILS/HW	V			<b>\$</b> Total	8,678
Total Material  Equipment	Rate					Tho	oroseal @ ILS/HW	V				
Total Material  Equipment	Rate					Tho	roseal @ ILS/HW	V			Total \$	
Total Material  Equipment	Rate					Tho	oroseal @ ILS/HW	V			Total \$ \$ \$	
Total Material  Equipment	Rate					Tho	roseal @ ILS/HW	V			Total \$ \$ \$	
Total Material  Equipment	Rate					Tho	oroseal @ ILS/HW	V			Total \$ \$ \$ \$ \$	
Total Material  Equipment	Rate					Tho	roseal @ ILS/HW	V			**Total	
Total Material  Equipment	Rate					Tho	roseal @ ILS/HW	V			Total  \$ \$ \$ \$ \$ \$ \$ \$	
Total Material  Equipment	Rate					Tho	proseal @ ILS/HW	V			* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Total Material  Equipment	Rate					Tho	roseal @ ILS/HW	V			Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW	Rate					Tho	oroseal @ ILS/HW	V			*	
Equipment Thoroseal @ ILS/HW  Subtotal	Rate					Tho	proseal @ ILS/HW				* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment)	Rate					Tho	proseal @ ILS/HW	V			* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25%	Rate					Tho	proseal @ ILS/HW				Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25%	Rate					Tho	proseal @ ILS/HW	V			* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment	Rate										Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment							proseal @ ILS/HW				Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment											Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25%  Total Equipment											Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$  Total \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment											Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$  Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25%  Total Equipment											Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Fax @ 8.25%  Fotal Equipment  Subcontractor											Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$  Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25%  Total Equipment  Subcontractor											Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Fax @ 8.25% Fotal Equipment  Subcontractor	Rate			Subcontractor	Material	Tho					Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment  Subcontractor	Rate			Subcontractor		Tho					Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$  Total  \$ \$ \$ \$ \$ \$  Total	
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment  Subcontractor  Total Subcontractor	Rate			Subcontractor	Material \$ 8,678.06	Tho					Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	26,100
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment  Subcontractor  Total Subcontractor	Rate			Subcontractor		Tho					Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$  Total \$ \$ \$ \$ \$  Total \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	26,100. 469.
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment  Subcontractor  Total Subcontractor  Totals Insurance (1.8%) Overhead and Profit (5% for subs)	Rate			Subcontractor		Tho					Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	26,100. 469.
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment  Subcontractor  Total Subcontractor  Totals Insurance (1.8%) Overhead and Profit (5% for subs) Overhead and Profit (15% Self Performed Work)	Rate			Subcontractor		Tho					Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	26,100.469.3,985
Equipment Thoroseal @ ILS/HW  Subtotal Fuel, Oil, Grease & Maintenance (40% fo Equipment) Tax @ 8.25% Total Equipment  Subcontractor  Total Subcontractor  Total Subcontractor  Total Subcontractor  Total Subcontractor	Rate			Subcontractor		Tho					Total  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	8,678.



Austin 8013 Exchange Drive Austin TX 78754 Tel: (512)927-4200 Fax: (512)928-0003

Page 1 of 1 04/02/2020 14:10


## Quotation

Bill-To-Party: 109632  BAR CONSTRUCTORS INCORPORATED P O BOX 10	Information Quotation Number Quotation Created Date	20736202 04/02/2020
LANCASTER TX 75146	Customer Number	109632
Ship-To-Party: 5398563 CENTRAL WASTEWATER PLANT	Inside Salesman Outside Salesman	Jeff Casaubon Branch Manager TX04
15500 SUN LIGHT NEAR WAY PFLUGERVILLE TX 78660	Validity Start Date Validity End Date	04/02/2020 05/02/2020

### **Notes from the Customer:**

Item	Material	Quantity	Price Per	Uı	nit	Amount
10	CHR-THOROSEAL GRAY GRAY THOROSEAL 60-LB PA	1 EA	88.36	\$ 1	EA	88.36
20	CHR-55350538 A660 ACRYL 60 BONDING AC	1 EA GENT 1GAL UNIT	23.26	\$ 1	EA	23.26
	Items total: Sales Tax:			 		 111.62 9.21
	Sales Coupon: Total Amount:					\$ 0.00 <b>120.83</b>

S	Signature	Date	<b>)</b>



OVERALL PLAN
3/16"=1'-0"

ACAD Rel: 21.0s (LMS Tech) Filename: N:\WW\WW-HDW-PL.dwg Last Saved: 8/29/2019 3:18 PM

Plot Date: 8/30/2019 11:48 AM Plot By: 90119 Filename: N:\WW\WW-HDW-PL.dwg

T.O.C. EL. 650.06'

T.O.C. EL. 637.25'

€ EL. 630.25

T.O.C. EL. 628.00'

(42-RS-PVC)

1. REFER TO SPECIFICATION SECTION 01 35 00 FOR SPECIAL PROCEDURES AND CONSTRUCTION SEQUENCING.

2. GROUT ALL CORNERS OF CHANNELS AND BASINS TO MINIMIZE SOLIDS ACCUMULATION. RE: 2/SD-17

3. ALL INTERIOR CONCRETE SURFACES OF THE INFLUENT MIXING CHAMBER, INFLUENT LIFT STATION WET WELL, AND COMMON DISCHARGE CHANNEL SHALL BE COATED PER SPECIFICATION SECTION 09 96 01. SEE SPECIFICATION SECTION 46 21 23 FOR MULTIRAKE BAR SCREEN SYSTEM AND SPECIFICATION SECTION 46 23 23 FOR GRIT REMOVAL EQUIPMENT.

ALL ABOVE GRADE NPW PIPING TO BE PVC AND SHALL BE SUPPORTED  $\frac{1}{2}$  BY 316 STAINLESS STEEL PIPE STRAPS AT A MINIMUM SPACING AS SHOWN IN DETAIL 340, TABLE A. ALL OTHER ABOVE GRADE PIPING TO BE DUCTILE IRON, UNLESS OTHERWISE NOTED.

ALL GROUTING TOWARDS PUMPS TO BE COORDINATED WITH PUMP MANUFACTURER.

CONTRACTOR TO COORDINATE WITH PUMP MANUFACTURER ON SIZE AND POSITION OF PUMP ACCESS HATCHES.

## NOTES BY SYMBOL "O"

- 16" MAG METER, SS, FLG
- 16"x12" ECCENTRIC REDUCER, DI, FLG
- 16" 90° BEND, DI, FLG
- (4) 16" U-SHAPED WATER SLUICE, 304L SS
- 5 1 1/2" HDGP NPW SLUICE FEED, RE: 3/M-HW-5.
- TYPICAL PUMP LIFTING AND CABLING SYSTEM. RE: 3/SD-17
- CONTRACTOR TO COORDINATE WITH GRIT REMOVAL EQUIPMENT MANUFACTURER FOR GROUTING.
- $\langle 8 \rangle$  16" TEE, DI, FLG
- 9 PIPE SUPPORT, RE: 340 TYPE G/SD-12
- PIPE SUPPORT, RE: 341 TYPE U/SD-9. SPACING EVERY 10'-0" OR PER MANUFACTURER'S RECOMMENDATIONS.
- 72"x48" ALUMINUM PUMP ACCESS HATCH WITH SAFETY GRATING, SEE NOTE 6.
- (12) STEM GUIDE LOCATION AND SPACING PER GATE MANUFACTURER (TYP.), RE: 374/SD-3.
- GUARDRAIL WITH TOE BOARD TYP., RE: 1/SD-25
- (14) 16" 22.5 DEGREE BEND, DI, FLG

$\overline{1}$	ı	OVERALL	SECTION	
1-HW-	2	3/16"=1'-0"		

9

342

T.O.C. EL. 609.91'

T.O.C. EL. 599.47'

SLOPE GROUT 45° ALL

DIRECTIONS FROM PUMP

LSP-101-106

INFLUENT PUMPS

- BAFFLE WALL

TYPE F

 $\langle 10 \rangle$ 

 $\sqrt{3}$ 

€ EL. 652.50'

(16-RS-DI)

 $\langle 11 \rangle$ 

HIGH WSE

603.65

LOW

WSE 593.15

CONCRETE PUMP SUPPORT PAD

SGV-M

T.O.C. EL. 650.06'

MONORAIL SUPPORT

SEE NOTE 8

FL. EL. 631.87' 1-D-PVC

(4-D-PVC)

FL. EL. 629.25'

FL EL. 612.15' (42-RS-FRP)

T.O.G./FL EL. 603.43'

(42-RS-FRP)

T.O.C. EL. 602.65'

FL EL. 631.43'

(12-D-DI)

T.O.C. EL. 637.25'

2-D-PVC

SLOPE

B.O.W. EL. 593.47'

T.O.G. EL. 591.87'

T.O.C. EL. 589.47'

GROUT 10%

SEE STRUCTURAL SHEETS S-HW-5

AND S-HW-9 EL. 644.06'

F.O.F. EL. 641.25'

T.O.C. EL. 641.06'

BAFFLE

SLOPE

GROUT 20%

WALL

DOINT	E\/EL (foot)	ELEVATIONS	DESC	RIPTION
POINT	LEVEL (Teet)	ELEVATIONS	RISING LEVEL	FALLING LEVEL
1	3.00	591.93	<del>-</del>	LOW/LOW FLOAT, ALL PUMPS OFF
2	4.00	592.93	<del>-</del>	LEAD PUMP @ 83% SPEED/OFF
3	6.00	594.93	LEAD PUMP ON @ MAX SPEED	PUMP 2 @ 86% SPEED/OFF
4	8.00	596.93	PUMP 1-2 ON @ 83% SPEED	PUMP 3 @ 89% SPEED/OFF
5	10.00	598.93	PUMP 1-3 ON @ 89% SPEED	PUMP 4 @ 92% SPEED/OFF
6	12.00	600.93	PUMP 1-4 ON @ 92% SPEED	PUMP 5 @ 95% SPEED/OFF
7	14.00	602.93	PUMP 1-5 ON @ 95% SPEED	-
8	14.50	603.43	HIGH/HIGH FLOAT ALARM	-

HEADWORKS CANOPY

WEIR EL. 644.00'

GGC-201

GRAVITY GRIT CHAMBER

RE: STRUCTURAL

<u>SLC-201</u>

SLUICE TROUGH

4.5×3-

T.O.C. EL. 623.60'

CFS-201-203

FINE SCREENS

EL. 645.56'

T.O.Ĉ. EL. 639.56'

NON-SHRINK GROUT

RE: STRUCTURAL

## PREES  ## FACE  ##
--

# $\approx$ MOIL OF PFLUGERVILLE WWTP EXPANSION IMPROVEMENTS

NTRAL

			DATE 07/17/19	/19
			DESIGNED	RHJ
			DRAWN	MA
	RJ	11/4/19 REVISED	REVISED	•
riginal	lal	FILE NAME	СНЕСКЕD	GHB
nch Jle.	uo	WW-HDW-SC.dwg	SC.dwg	

OVE

M-HW-2

71

23.0s (LMS Tech)
N:\ww\ww-HDW-SC.d'
d: 10/21/2019 11:37

Plot Date: 10/24/2019 11:29 AM Plot By: 90119 Filename: N:\WW\WW-HDW-SC.dwg

- (1) 12" 45° BEND, DI, MJ
- $\langle 2 \rangle$  12" FLEXIBLE COUPLING ADAPTER

4 12" FLEXIBLE COUPLING ADAPTER

- $\langle 3 \rangle$  CLEANOUT, RE: 311/SD-16
- $\langle 5 \rangle$  16" 90° BEND, DI, FLG (TYP. 5 PLACES)
- 6 4" HDGP VENT PIPING WITH 304 STAINLESS STEEL FASTENERS. (TYP. 5 PLACES)
- $\langle 7 \rangle$  316 STAINLESS STEEL REMOVABLE STOP PLATE.
- $\langle 8 \rangle$  CLEANOUT, RE: 311/SD-16
- 9 PIPE SUPPORT, RE: 340 TYPE G/SD-12 (TYP. 5 PLACES)
- (10) 4" 90° BEND, HDGP (TYP. 5 PLACES)
- (11) 4" FLEXIBLE COUPLING ADAPTER
- (12) INSTALL CONCRETE PENETRATION WITH 20" 316 STAINLESS STEEL WALL SLEEVE, RE: 342 TYPE D/SD-8, AND INSTALL 316 STAINLESS STEEL BOLTED COVER OVER PENETRATION OPENING.
- (13) 8" 316 SS SLEEVE FOR PRESSURE TRANSDUCER, RE:342 TYPE D/SD-8 AND ELECTRICAL SHEETS.
- $\langle 14 \rangle$  8" 316 SS SLEEVE FOR LEVEL FLOATS, RE:342 TYPE D/SD-8 AND ELECTRICAL SHEETS.
- (15) STRAIGHT EDGE WEIR AND PLATE, OVERFLOW EL: 647.43' RE: 384/SD-3.
- $\langle 16 \rangle$  16" MAG METER, SS, FLG (TYP. 5 PLACES)

3. MONORAIL AND SUPPORTS NOT SHOWN FOR CLARITY. SEE

S-HW-9 FOR DETAILS. ALL INTERIOR CONCRETE SURFACES OF THE HEADWORKS INFLUENT CHANNEL STRUCTURE SHALL BE COATED PER SPECIFICATION SECTION 09 96 01.

1. REFER TO SPECIFICATION SECTION 01 35 00 FOR SPECIAL

DETAILS AND ELEVATIONS. REFER TO ELECTRICAL AND

ROUTING, LEVEL SENSORS AND OTHER PERTINENT DETAILS.

INSTRUMENTATION DRAWINGS FOR ELECTRICAL WIRING,

STRUCTURAL SHEETS S-HW-5 AND S-HW-6 AND

PROCEDURES AND CONSTRUCTION SEQUENCING.

2. REFER TO STRUCTURAL DRAWINGS FOR STRUCTURAL

**GENERAL NOTES** 

- 5. SLOPE GROUT @ 20% MIN. TOWARD THE PUMPS TYPICAL VERIFY DIMENSIONS WITH PUMP MANUFACTURER PRIOR TO CONSTRUCTION.
- 6. ALL ABOVE GRADE NPW PIPING TO BE (PVC AND SHALL BE SUPPORTED BY 316 STAINLESS STEEL PIPE STRAPS AT A MINIMUM SPACING AS SHOWN IN DETAIL 340, TABLE A. ALL OTHER ABOVE GRADE PIPING TO BE DUCTILE IRON, UNLESS OTHERWISE NOTED.
- 7. INSTALL 72"x48" DUAL-DOOR HATCHES FOR ACCESS TO SUBMERSIBLE RAW SEWAGE PUMPS. CONTRACTOR SHALL COORDINATE WITH SUBMERSIBLE PUMP AND FLOOR ACCESS DOOR MANUFACTURERS TO PROVIDE NOTCH OPENING PER TYPICAL PUMP LIFTING AND CABLING STANDARD DETAIL TO ACCOMMODATE SUBMERSIBLE PUMP CABLES.
  - 8. 4" HDGP VENT ON EACH DISCHARGE LINE TO BE ROUTED TO HEADWORKS INFLUENT CHANNEL TO DISCHARGE ELEVATION OF 649.00'.
  - 9. FOR ALL PUMPS, CONTRACTOR TO COORDINATE WITH PUMP MANUFACTURER TO INSTALL PUMP LIFTING AND CABLING SYSTEM. RE: 3/SD-17.
  - 10. GROUT ALL CORNERS OF CHANNELS AND BASINS TO MINIMIZE SOLIDS ACCUMULATION, RE: 2/SD-17.

NOTES BY SYMBOL "O"


FREESE

OF PFLUGERVILLE
WWTP EXPANSION
I IMPROVEMENTS
MECHANICAI


NTRAL CE!

M-HW-3

72



PUMP GROUTING PLAN



(4-D-PVC)

**-**(13)


NORTH WET

WELL


INFLUENT PUMP


INFLUENT PUMP

TYPE F



Plot Date: 9/4/2019 9:13 AM Plot By: 90119 Filename: N:\WW\WW-HDW-PL.dwg






Plot Date: 9/4/2019 9:25 AM Plot By: 90119 Filename: N:\WW\WW-HDW-SC.dwg

RECORD DOCUMENT 33'-0" 24'-0" 9'-0" 7'-6" 7'-0" \_\_\_\_\_\_ WTP EXPANSION IMPROVEMENTS STATION INFLUENT L TOP CENTRAL PHASE 110x8.65 (TYP) S-HW-1 76

ACAD Kel: 21.Us (LMS 1ech) Filename: N:\ST\ST-LST-PL-TOPP.dwg Last Saved: 9/18/2019 5:00 PM Saved I

Plot Date: 9/18/2019 7:11 PM Plot By: 02198 Filename: N:\ST\ST-LST-PL-TOPP.dwa




ACAD Kel: 21.Us (LMS 1ech) Filename: N:\ST\ST-LST-PL-SECT02.dwg Last Saved: 9/18/2019 3:05 PM Saved By:

Plot Date: 9/18/2019 7:11 PM Plot By: 02198 Filename: N:\ST\ST-LST-PL-SECT02.dwa

RECORD DOCUMENT 25'-0" 20'-0" 13'-10" 5'-0" 1'-2" 2'-6" 2 S-HW-7 EXPANSION VEMENTS STATION EL 602. 30,-0" 4 S-HW-8 CENTRAL PHASE BAFFLE WALLS BELOW -24"ø DRILLED SHAFTS RE: 1/S-HW-12 SECTIONAL PLAN @ EL 604.75' S-HW-3


ACAD Kel: 21.0s (LMS lech) Filename: N:\ST\ST-LST-PL-SECT03.dwg Last Saved: 9/18/2019 4:18 PM Saved By:


Plot Date: 9/18/2019 7:11 PM Plot By: 02198 Filename: N:\ST\ST-LST-PL-SECT03.dwa




ACAD Kel: 21.Us (LMS 1ech) Filename: N:\ST\ST-LST-PL-SECT04.dwg Last Saved: 9/18/2019 3:04 PM Saved


Plot Date: 9/18/2019 7:11 PM Plot By: 02198 Filename: N:\ST\ST-LST-PL-SECT04.dwa








Plot Date: 9/18/2019 7:11 PM Plot By: 02198 Filename: N:\ST\ST-LST-SC-CONC02.dwa




ACAD Kel: 21.Us (LMS 1ech) Filename: N:\ST\ST-LST-DT-CONCO1.dwg Last Saved: 9/18/2019 5:09 PM Saved



Plot Date: 9/18/2019 7:12 PM Plot By: 02198 Filename: N:\ST\ST-LST-PS-FRMG01.dwa

RECORD DOCUMENT 96'-6" 9'-0" 22'-0" 9'-6" 56'-0" Y OF PFLUGERVILLE WWTP EXPANSION I IMPROVEMENTS STRUCTURAL CENTRAL PHASE I T/CONC EL 650.06' T/CONC EL 637.25' COLUMN & FOOTING T/CONC EL 637.25' 87'-6"

ACAD Rel: 21.0s (LMS Tech) Filename: N:\ST\ST-HDW-PL-OVR Last Saved: 9/16/2019 5:19 PM




**RECORD DOCUMENT** - 4" PENETRATION RE: M-HW-5 23'-8" ⊤ EL 641.06' 25% SLOPE 20'-6" 25'-0" P EXPANSION PROVEMENTS SLOPE CENTRAL EL 641.06' └ EL |639.36' EL 623.60' 1'-4" 2'-0" 1'-2"

NON
SHRINK
GROUT 15'-0" 10'-0" 20'-0" 10'-0" 10'-6" 1 -0" 5'-0" 16'-0" 31'-0" 6'-0" 23'-6" 1'-6" 56'-0" 9'-6" NOTES:


1. FOR P1 & P2 ELEVATIONS SEE
SCHEDULE ON SHEET S-HW-16 SECTIONAL PLAN S-HW-12 87


ACAD Kel: 21.0s (LMS 1ech) Filename: N:\ST\ST-HDW-PL-SCRN02.dwg Last Saved: 9/18/2019 7:04 PM Saved By: 02


Plot Date: 9/18/2019 7:11 PM Plot Bv: 02198 Filename: N:\ST\ST-HDW-PL-SCRN02.dwa




Plot Date: 9/18/2019 7:11 PM Plot By: 02198 Filename: N:\ST\ST-HDW-SC-SCRN01.dwa







Plot Date: 9/18/2019 7:11 PM Plot By: 02198 Filename: N:\ST\ST-HDW-SC-FRMG.dwa



D Rel: 21.0s (LM name: N:\ST\ST-: Saved: 9/16/2


Plot Date: 9/16/2019 5:29 PM Plot By: 02856 Filename: N:\ST\ST-HDW-DT-FRMG01.dwg



FREESE

WTP EXPANSION MPROVEMENTS

E-HW-1



**GENERAL NOTES:** 


- REFER TO SHEET E-18 FOR LIGHTING SCHEDULE.
- 2. INSTALL WEATHER-PROOF RECEPTACLE WITH


NOTES BY SYMBOL "O": 1. INSTALL TYPE "B" FIXTURE 9' AFF.

12. MOUNT TELESCOPING POLE ON COLUMN.

3. MOUNT TELESCOPING POLE ON CONCRETE PEDESTAL.

SHEET REFERENCE VFD-XX E-31, E-32 MCHWB-XX LPHW-XX R12-XX E-50






**RECORD DOCUMENT** 


GENERAL NOTES:

CONTRACTOR SHALL BE RESPONSIBLE TO PROVIDE AND INSTALL CONDUITS AND EQUIPMENT PER NFPA AND NEC REQUIREMENTS.


WTP EXPANSION IMPROVEMENTS INFLUEN SECTION CENTRAL PHASE


E-HW-4








LIFT STATION SECTION NTS

















Date: Nov 05, 2019 — 8:53am User: mac19 File: H:\GAI Projects\1621\_Pflugerville Central WWTP Expansion\5 Drawings\Electrical\!Working\1621\_E-HW-11.dwg