



# City of Pflugerville

## Legislation Text

File #: 2022-0914, Version: 1

Approving a bulk chemical contract with G20 Technologies in the amount of \$290,400 for aluminum chlorhydrate associated with water and wastewater bulk chemicals, and authorizing the City Manager to execute the same.

The City of Pflugerville uses a variety of chemicals in water and wastewater operations. City staff solicited sealed bids for the purchase of four chemicals for a term of 2 years (24 months), with the option for two additional 12-month renewals. Advertisements were placed in the Pflugerville Pflag for two consecutive weeks; notice of the bid was on the City's website for the duration of the bidding process; and Texas Bid System was used to engage additional vendor interest. Four vendors provided pricing on one or more chemicals.

G20 Technologies, Inc was selected as the lowest responsible bidder on the following chemicals at the prices provided for each process and/or location:

Aluminum Chlorhydrate	Water Treatment	\$ 5.28/gallon
-----------------------	-----------------	----------------

The City received up to two bids for each of these chemicals. The bid documents and tabulation sheets are attached to this agenda item.

The City has had a successful relationship with G20 Technologies, Inc. for several years and have been the City's Aluminum Chlorhydrate supplier for the most recent 2 years.

### Deadline for City Council Action

Action is requested September 27, 2022.

**Funding Expected:** Revenue  Expenditure  N/A

**Budgeted Item:** Yes  No  N/A

**Amount:** \$290,400

**1295 Form Required?** Yes  No

**Legal Review Required:** N/A  Required  Date Completed: \_\_\_\_\_

### Supporting documents attached:

Bid Tabulation

G20 Bid Documents

G20 Technologies Presentation

### Recommended Action

Approving a bulk chemical contract with G20 Technologies in the amount of \$290,400 for aluminum chlorhydrate associated with water and wastewater bulk chemicals, and authorizing the City Manager to execute the same.

